VEXA DENTAL LAB

MHRA Reg. No. 40158

PRESCRIPTION & ORDER FORM

Implant Restorations

LAB USE ONLY
Case no. _____
Received D D / M M / Y Y Y Y

1 PRACTICE & PATIENT

Dentist _____ GDC no. _____

Practice _____ Practice postcode _____


Phone _____ Email _____

Patient name / ref _____ Return date D D / M M / Y Y Y Y **Standard 10 working days**

RETURN FOR ☐ Try-in Nothing ticked = finished work Standard **10 working days** + **2 extra days** for implant parts.

2 IMPLANT SITES

Circle implant sites · **P** pontic · **X** extraction



3 RESTORATION & MATERIAL

RETENTION ☐ Screw-retained ☐ Cement-retained | **TYPE** ☐ Crown ☐ Bridge

If the screw hole comes out buccally: ☐ Accept ☐ Change to cement-retained ☐ Angled screw channel if possible

ZIRCONIA ☐ Full contour ☐ Layered

PFM ☐ Non-precious ☐ Semi-precious ☐ Precious (gold)

TEMPORARY ☐ Acrylic, screw-retained

4 IMPLANT DETAILS


We order parts on your implant account — please ask your rep to authorise us

Implant system _____ Platform / size _____ Implant account no. _____

ABUTMENT ☐ Stock ☐ CAD/CAM (custom) | ☐ **Please order the final screw**

Turn over for guidance →

5 SHADE — WRITE ON THE TOOTH



Cervical · Body · Incisal

☐ VITA Classical ☐ 3D-Master

☐ Shade photos sent

6 DESIGN

Emergence ☐ Concave ☐ Straight ☐ Convex

Contacts ☐ Light ☐ Normal ☐ Tight

Occlusion ☐ Light ☐ Normal ☐ Out of occl.

Pontic ☐ Ovate ☐ Ridge lap ☐ Hygienic

7 ENCLOSED / SENT

☐ Upper impression ☐ Lower impression ☐ Bite reg. ☐ Models ☐ Photos ☐ Analogue ☐ Screws ☐ Abutment

DIGITAL SCAN ☐ iTero ☐ 3Shape ☐ Medit ☐ Primescan Scan / order ID _____

8 INSTRUCTIONS

Disinfected with _____ by _____ Signature _____ Date D D / M M / Y Y Y Y

61 Kilburn High Road, London NW6 5SB · info@vexadental.co.uk · vexadental.co.uk
Post your case with the free label provided

WHATSAPP OR CALL
+44 7455 576500

Custom-made device · Supplied non-sterile. Made to the dentist's written prescription for the exclusive use of the named patient. Conforms to the essential requirements of Annex I of the UK Medical Devices Regulations 2002 (SI 2002 No. 618). Manufactured in the UK and/or China by Vexa Dental Lab. Please report any problem with this device to us.

Choosing Guide & Notes

VEXA DENTAL LAB

MHRA Reg. No. 40158

Patient name / ref _____ Dentist _____

1 HELPING YOU CHOOSE

Screw- or cement-retained?

Screw-retained

BEST FOR back teeth, cases you may need to remove later, and limited height. No cement around the implant.

CONSIDER the screw hole should come out on the biting or tongue side (sealed with composite). If it would show buccally, an angled screw channel may solve it.

Cement-retained

BEST FOR when a screw hole would show on the front face of the tooth and an angled screw channel isn't possible.

CONSIDER excess cement can inflame the gum. Keep margins at or just below the gum so cement can be cleaned off.

Stock or CAD/CAM abutment?

Stock abutment

BEST FOR well-placed implants with an even gum depth. Quicker and lower cost.

CONSIDER fixed shape and margin height, with little room to correct angulation.

CAD/CAM custom abutment

BEST FOR front teeth, angled or deep implants and uneven gum levels. The margin follows the gum line, making cement easier to clean.

CONSIDER higher cost; we need the implant system and scan body details.

Which material?

Full-contour zirconia
Strongest option with no layered porcelain to chip. Ideal for molars and patients who grind.

Layered zirconia
Best aesthetics for visible front teeth.

PFM
Proven option. Choose non-precious, semi-precious or precious alloy.

Temporary (acrylic, screw-retained)
For soft-tissue shaping or immediate provisional restorations.

Emergence profile

Concave
Leaves room for thicker gum tissue. Often preferred in the aesthetic zone.

Straight
Neutral, standard contour for most cases.

Convex
Supports the gum and papilla. Use with care: too much bulk can push the gum down.

Not sure? Leave it blank and we'll design to suit the site.

2 BEFORE YOU SEND

- ☐ Implant system, platform & size written
- ☐ Scan body ID, or impression coping + analogue
- ☐ Opposing arch & bite
- ☐ Shade (photos help)
- ☐ Implant rep has authorised us to order parts

3 EXTRA NOTES

This guide is general information to help you decide. The final prescription is the clinician's choice — call or WhatsApp us to talk a case through.

61 Kilburn High Road, London NW6 5SB · info@vexadental.co.uk · vexadental.co.uk
Post your case with the free label provided

WHATSAPP OR CALL
+44 7455 576500

Custom-made device · Supplied non-sterile. Made to the dentist's written prescription for the exclusive use of the named patient. Conforms to the essential requirements of Annex I of the UK Medical Devices Regulations 2002 (SI 2002 No. 618). Manufactured in the UK and/or China by Vexa Dental Lab. Please report any problem with this device to us.